

3M™ Eyewear Sales Guide.



Contents

3M™ SecureFit™ Range™	3
3M™ SecureFit™ 100 Series	4
3M™ SecureFit™ 200 Series	5
3M™ SecureFit™ 400 Series	6
3M™ SecureFit™ 400X Series	7
3M™ SecureFit™ 500 Series	8
3M™ SecureFit™ 600 Series	9

3M™ Solus™ Range	10
3M™ Solus™ 1000 Series	11
3M™ Solus™ 2000 Series	12
3M™ Solus™ CCS Series	13

3M™ Virtua™ Range	14
3M™ Virtua™ Series	15
3M™ Virtua™ AP Series	16

3M™ OTG Range	17
3M™ SecureFit™ 3700 Series	18
3M™ 2800 Series	19
3M™ Visitor Series	20

3M™ Safety Goggles Range	21
3M™ GoggleGear™ 6000 Series	22
3M™ GoggleGear™ 500 Series	23
3M™ GoggleGear™ 2890 Series	24
3M™ Fahrenheit™ Series	25
3M™ 4700 and 4800 Series	26

Accessories	27
--------------------	-----------


Further information	30
Coating and lens categories	31
Definitions	32
Important notice	34
Spectacle features overview	
Goggles features overview	

3M™ SecureFit™ Range

- ▶ All day comfort for workers needing to wear eye protection for long periods of time
- ▶ Best 3M solution for compatibility with earmuffs and respiratory protection
- ▶ Improve employee compliance with spectacles that offer comfort, fit and style
- ▶ High quality materials and coatings improve wearability and durability
- ▶ 3M™ Scotchgard™ Protector Anti-Fog/Anti-Scratch Coating offered throughout the range

Go to 3M™ SecureFit™ website

See the 3M™ SecureFit™ brochure



3M™ SecureFit™ 100 Series



- ▶ Basic 3M™ SecureFit™ range
- ▶ 3M™ Pressure Diffusion Temple Technology for a comfortable and secure fit during the whole day!
- ▶ Compatible with earmuffs
- ▶ Slim wrap around design to look better on smaller faces
- ▶ Easy to clean
- ▶ Economical bulk package (5-pack) available (black frame only)
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100244046	SF101AS-BLK, Clear Lens, 5/pk	2C-1.2 3M 1 FT	Black	 Clear	AS	++	-	100
7100244060	SF101AF-BLK, Clear Lens, 5/pk	2C-1.2 3M 1 FT	Black	 Clear	AS/AF	+	+	100
7100244064	SF101AF-BLU, Clear Lens	2C-1.2 3M 1 FT	Blue	 Clear	AS/AF	+	+	20
7100244047	SF101AS-BLU, Clear Lens	2C-1.2 3M 1 FT	Blue	 Clear	AS	++	-	20
7100244048	SF102AF-BLU, Dark Grey Lens	5-3.1 3M 1 FT	Blue	 Dark grey	AS/AF	+	+	20
7100243969	SF103AF-BLU, Amber Lens	2C-1.2 3M 1 FT	Blue	 Amber	AS/AF	+	+	20
7100244061	SF107AF-BLU, I/O Light Grey Lens	5-1.7 3M 1 FT	Blue	 I/O light grey	AS/AF	+	+	20

3M™ SecureFit™ 200 Series



- ▶ Basic 3M™ SecureFit™ range
- ▶ 3M™ Pressure Diffusion Temple Technology for a comfortable and secure fit during the whole day!
- ▶ Robust universal wrap around design fits a wide range of head sizes
- ▶ Compatible with earmuffs
- ▶ Foam gasket available to help limit eye exposure to debris
- ▶ Prescription insert available
- ▶ Easy to clean
- ▶ Lightest spectacle in our range (18 gram)
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100194736	SF201AFP-EU, Clear Lens	2C-1.2 3M 1 FT N	Clear	Clear	AS/AF+	+	++	20
7100112180	SF201AS-EU, Clear Lens	2C-1.2 3M 1 FT	Clear	Clear	AS	++	-	20
7100185279	SF201SGAF-BLU, Clear Lens	2C-1.2 3M 1 FT KN	Blue	Clear	SGAF	++	+++	20
7100194737	SF202AFP-EU, Dark Grey Lens	5-3.1 3M 1 FT N	Grey	Dark grey	AS/AF+	+	++	20
7100194738	SF203AFP-EU, Amber Lens	2C-1.2 3M 1 FT N	Amber	Amber	AS/AF+	+	++	20
Accessories								
7010528331	RX-SF400, RX Insert for SF200/400							10
7100102568	SF400FI, Foam Gasket for SF200/400							100

3M™ SecureFit™ 400 Series



- ▶ Mid tier 3M™ SecureFit™ range
- ▶ 3M™ Pressure Diffusion Temple Technology for a comfortable and secure fit during the whole day!
- ▶ Robust universal wrap around design fits a wide range of head sizes
- ▶ Compatible with earmuffs
- ▶ Foam gasket available to help limit eye exposure to debris
- ▶ Prescription insert available
- ▶ Soft adjustable nose and soft temple ends to improve comfort and fit
- ▶ SF406SGAF-BLA features an orange lens to block blue light
- ▶ Reader versions available
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100078989	SF401AF-EU, Clear Lens	2C-1.2 3M 1 FT	Grey/Green	Clear	AS/AF	+	+	20
7100148074	SF401SGAF-BLU EU, Clear Lens	2C-1.2 3M 1 FT KN	Blue/Grey	Clear	SGAF	++	+++	20
7100148073	SF401SGAF-BLU EU-F, Clear Lens + Foam	2C-1.2 3M 1 FT KN	Blue/Grey	Clear	SGAF	++	+++	20
7100148026	SF401SGAF-RED EU, Clear Lens	2C-1.2 3M 1 FT KN	Red/Grey	Clear	SGAF	++	+++	20
7100078987	SF402AF-EU, PC Dark Grey Lens	5-3.1 3M 1 FT	Grey/Green	Dark grey	AS/AF	+	+	20
7100148052	SF402SGAF-BLU EU, Dark Grey Lens	5-3.1 3M 1 FT KN	Blue/Grey	Dark grey	SGAF	++	+++	20
7100078986	SF403AF-EU, Amber Lens	2C -1.2 3M 1 FT	Grey/Green	Amber	AS/AF	+	+	20
7100148081	SF403SGAF-YEL EU, Amber Lens	2C-1.2 3M 1 FT KN	Yellow/Black	Amber	SGAF	++	+++	20
7100148082	SF405SGAF-BLA EU, Mid Brown Lens	5-2.5 3M 1 FT KN	Black/Brown	Mid brown	SGAF	++	+++	20
7100148075	SF406SGAF-BLA EU, Orange Lens	2-1.7 3M 1 FT KN	Black/Brown	Orange	SGAF	++	+++	20
7100148072	SF407SGAF-BLU EU, I/O Light Grey Lens	5-1.7 3M 1 FT KN	Blue/Grey	I/O light grey	SGAF	++	+++	20
7100078880	SF408AS-EU, Dark Blue Mirror Lens	5-3.1 3M 1 FT	Grey/Green	Dark blue mirror	AS	+	-	20
7100078988	SF410AS-EU, I/O Mirror Lens	5-1.7 3M 1 FT	Grey/Green	I/O Mirror	AS	+	-	20
7100114612	SF415AF-EU, Clear +1.5 reader Lens	2C-1.2 3M 1 FT	Grey/Green	Clear +1.5	AS/AF	+	+	20
7100114948	SF420AF-EU, Clear +2.0 reader Lens	2C-1.2 3M 1 FT	Grey/Green	Clear +2.0	AS/AF	+	+	20
7100114613	SF425AF-EU, Clear +2.5 reader Lens	2C-1.2 3M 1 FT	Grey/Green	Clear +2.5	AS/AF	+	+	20
Accessories								
7010528331	RX-SF400, RX Insert for SF200/400							10
7100102568	SF400FI, Foam Gasket for SF200/400							100

3M™ SecureFit™ 400X Series



- ▶ Mid/top tier 3M™ SecureFit™ range
- ▶ 3M™ Pressure Diffusion Temple Technology for a comfortable and secure fit during the whole day!
- ▶ Robust universal wrap around design fits a wide range of head sizes
- ▶ Compatible with earmuffs
- ▶ Soft brow guard and integrated soft nose bridge for additional top coverage and comfortable fit
- ▶ Soft temple ends to improve comfort
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100185269	SF401XSGAF-BLU, Clear Lens	2C-1.2 3M 1 FT KN	Blue/Grey	 Clear	SGAF	++	+++	20
7100185268	SF401XSGAF-GRN, Clear Lens	2C-1.2 3M 1 FT KN	Green/Clear	 Clear	SGAF	++	+++	20
7100185278	SF402XSGAF-BLU Dark Grey Lens	5-3.1 3M 1 FT KN	Blue/Grey	 Dark grey	SGAF	++	+++	20
7100185291	SF403XSGAF-YEL, Amber Lens	2C-1.2 3M 1 FT KN	Yellow/Black	 Amber	SGAF	++	+++	20
7100185289	SF407XSGAF-BLU, I/O Light Grey Lens	5-1.7 3M 1 FT KN	Blue/Grey	 I/O light grey	SGAF	++	+++	20
7100185292	SF416XAS-BLK, Orange Mirror Lens	5-3.1 FT	Black/Black	 Orange mirror	AS	++	-	20
7100185109	SF422XSGAF-BLK, Vermillion Lens	2-2 3M 1 FT KN	Black/Black	 Vermillion	SGAF	++	+++	20

3M™ SecureFit™ 500 Series



- ▶ Mid tier 3M™ SecureFit™ range
- ▶ 3M™ Pressure Diffusion Temple Technology for a comfortable and secure fit during the whole day!
- ▶ Adjustable ratchet temples to adjust the lens for facial features and eyeglass position, designed to help improve the positioning when worn with respirators
- ▶ Universal light weight wrap around design fits a wide range of head sizes
- ▶ Compatible with earmuffs
- ▶ Foam gasket available to help limit eye exposure to debris
- ▶ Easy to clean
- ▶ SF528SGAF-DGR features a light brown lens for extra comfort in artificial bright light conditions
- ▶ Includes a range of grey IR filter lenses popular for gas welding and metal cutting
- ▶ UV400 protection on all lenses

See the 3M™ SecureFit™ 500 Series video

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100244045	SF501AF-BLK, Clear Lens	2C-1.2 3M 1 FT	Black	Clear	AS/AF	+	+	20
7100243979	SF501ASP-BLK, Clear Lens	2C-1.2 3M 1 FT K	Black	Clear	AS+	+++	-	20
7100243142	SF501SGAF-BLK, Clear Lens	2C-1.2 3M 1 FT KN	Black	Clear	SGAF	++	+++	20
7100243964	SF501SGAF-BLK-FM, Clear Lens + Foam	2C-1.2 3M 1 FT KN	Black	Clear	SGAF	++	+++	20
7100243971	SF501SGAF-GRN, Clear Lens	2C-1.2 3M 1 FT KN	Green	Clear	SGAF	++	+++	20
7100243934	SF501SGAF-RED, Clear Lens	2C-1.2 3M 1 FT KN	Red	Clear	SGAF	++	+++	20
7100244201	SF502SGAF-BLK, Dark Grey Lens	5-3.1 3M 1 FT K N	Black	Dark grey	SGAF	++	+++	20
7100243980	SF503SGAF-BLK, Amber Lens	2C-1.2 3M 1 FT K N	Black	Amber	SGAF	++	+++	20
7100244022	SF505SGAF-DGR, Mid Brown Lens	5-2.5 3M 1 FT K N	Dark Green	Mid brown	SGAF	++	+++	20
7100243995	SF507SGAF-BLK, I/O Light Grey Lens	5-1.7 3M 1 FT K N	Black	I/O light grey	SGAF	++	+++	20
7100243963	SF509AF-BLK, Dark Silver Mirror Lens,	5-3.1 3M 1 FT	Black	Dark silver mirror	AS/AF	+	+	20
7100243977	SF517ASP-GRN, IR 1.7 Grey Lens,	1.7 3M 1 FT K	Black/Green	IR 1.7 Grey	AS+	+++	-	20
7100244062	SF528SGAF-DGR, Light Brown Lens	5-1.4 3M 1 FT K N	Dark Green	Light brown	SGAF	++	+++	20
7100243989	SF530ASP-GRN, IR 3.0 Grey Lens	3 3M 1 FT K	Black/Green	IR 3.0 Grey	AS+	+++	-	20
7100243978	SF550ASP-GRN, IR 5.0 Grey lens	5 3M 1 FT K	Black/Green	IR 5.0 Grey	AS+	+++	-	20
Accessories								
7100243943	SF500-FOAM, Foam Gasket for SF500	n/a	n/a	n/a	n/a	n/a	n/a	100

3M™ SecureFit™ 600 Series



- ▶ Top tier 3M™ SecureFit™ range
- ▶ 3M™ Pressure Diffusion Temple Technology for a comfortable and secure fit during the whole day!
- ▶ Dual-lens design provides the best optical performance
- ▶ Stylish half-frame wrap around design fits a wide range of head sizes
- ▶ Compatible with ear muffs
- ▶ Soft nose bridge to improve comfort and fit
- ▶ Foam gasket available to help limit eye exposure to debris
- ▶ SF611AS features dark grey polarised lenses removing horizontal sunglare
- ▶ Includes a range of green IR filter lenses popular for gas welding and metal cutting
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100112717	SF601SGAF, Clear Lens	2C-1.2 3M 1 FT KN	Grey	Clear	SGAF	++	+++	20
7100112716	SF602SGAF, Dark Grey Lens	5-3.1 3M 1 FT KN	Grey	Dark grey	SGAF	++	+++	20
7100112712	SF603SGAF, Amber Lens	2C-1.2 3M 1 FT KN	Grey	Amber	SGAF	++	+++	20
7100112718	SF610AS, I/O Mirror Lens	5-1.7 3M 1 FT	Grey	I/O Mirror	AS	+	-	20
7100112713	SF611AS, Dark Grey Polarised Lens	5-3.1 3M 1 FT	Grey	Dark grey polarised	AS	++	-	20
7100112721	SF617AS, IR 1.7 Green Lens	1.7 3M 1 F	Grey	IR 1.7 Green	AS	++	-	20
7100112724	SF630AS, IR 3.0 Green Lens	3 3M 1 F	Grey	IR 3.0 Green	AS	++	-	20
7100112715	SF650AS, IR 5.0 Green Lens	5 3M 1 F	Grey	IR 5.0 Green	AS	++	-	20
Accessories								
7100112725	SF600FI, Foam Gasket for SF600	n/a	n/a	n/a	n/a	n/a	n/a	100

3M™ Solus™ Range

- ▶ Robust spectacle intended for workers who frequently remove their spectacles
- ▶ Excellent range of lens and coating options, plus alternatives like foam/TPE gaskets to enhance protection and create goggle-like performance
- ▶ 3M™ Scotchgard™ Protector Anti-Fog/Anti-Scratch Coating offered throughout the range

See the 3M™ Solus™ brochure



3M™ Solus™ 1000 Series



- ▶ Top tier 3M™ Solus™ range
- ▶ Sporty, low profile design in modern frame colours
- ▶ Special kit versions available
- ▶ Temples, headbands and gaskets can be easily swapped to suit the application
- ▶ Worn with headband and gasket the impact level increases to a medium energy impact protection (BT)
- ▶ Foam gasket available to help limit eye exposure to debris
- ▶ TPE gasket (with or without rx-prescription insert) available to protect against liquid splash and large dust
- ▶ Soft nose and soft temple ends to improve comfort and fit
- ▶ S1101SGAF and S1101NSGAF-TSKT can be sterilised up to 40x by autoclaving at 121°C
- ▶ S1101NSGAF-TSKT comes with a neoprene headband
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100243970	S1101NSGAF-TSKT, Kit including TPE gasket, Neoprene strap, Clear Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Blue/Black	Clear	SGAF	++	+++	20
7100080258	S1101SGAF, Clear Lens	2C-1.2 3M 1 BT K N	Blue/Black	Clear	SGAF	++	+++	20
7100080184	S1101SGAFKT, Kit, Foam Gasket and Strap	2C-1.2 3M 1 BT K N	Blue/Black	Clear	SGAF	++	+++	20
7100080185	S1102SGAF, Dark Grey Lens	5-3.1 3M 1 BT K N	Blue/Black	Dark grey	SGAF	++	+++	20
7100080187	S1103SGAF, Amber Lens	2C-1.2 3M 1 BT K N	Blue/Black	Amber	SGAF	++	+++	20
7100244049	S1107SGAF, I/O Light Grey Lens	2C-1.7 3M 1 BT K N	Blue/Black	I/O light grey	SGAF	++	+++	20
7100078882	S1201SGAF, Clear Lens	2C-1.2 3M 1 BT K N	Green/Black	Clear	SGAF	++	+++	20
7100078881	S1201SGAFKT Kit, Foam Gasket and Strap	2C-1.2 3M 1 BT K N	Green/Black	Clear	SGAF	++	+++	20
7100244066	S1201SGAF-TSKT, Kit, including TPE gasket, elastic strap, Clear Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Green/Black	Clear	SGAF	++	+++	20
7100078883	S1202SGAF, Dark Grey Lens	5-3.1 3M 1 BT K N	Green/Black	Dark grey	SGAF	++	+++	20
7100080186	S1203SGAF, Amber Lens	2C-1.2 3M 1 BT K N	Green/Black	Amber	SGAF	++	+++	20
7100244063	S1207SGAF, I/O Light Grey Lens	2C-1.7 3M 1 BT K N	Green/Black	I/O light grey	SGAF	++	+++	20
Accessories								
7100081293	1000G, Foam Gasket for Solus 1000	n/a	n/a	n/a	n/a	n/a	n/a	100
7100081292	1000S, Headband, Adjustable Nylon for Solus 1000	n/a	n/a	n/a	n/a	n/a	n/a	5
7100243935	S1000TPE, TPE Gasket for Solus 1000	n/a	n/a	n/a	n/a	n/a	n/a	20
7100243141	S1000-RX, RX Insert with TPE Gasket for Solus 1000	n/a	n/a	n/a	n/a	n/a	n/a	20

3M™ Solus™ 2000 Series



- ▶ Mid tier 3M™ Solus™ range
- ▶ Stylish, low profile half-frame design in modern frame colours
- ▶ Adjustable ratchet temples to adjust the lens for facial features and eyeglass position
- ▶ Semi-soft nose and soft temple ends to improve comfort and fit
- ▶ Foam gasket available to help limit eye exposure to debris
- ▶ Different coating solutions available
- ▶ Reader versions available
- ▶ Includes a range of grey IR filter lenses popular for gas welding and metal cutting
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100208382	S2001AF-BLU, Clear Lens	2C-1.2 3M 1 FT	Blue/Grey	Clear	AS/AF	+	+	20
7100208825	S2001ASP-BLU, Clear Lens	2C-1.2 3M 1 FT K	Blue/Grey	Clear	AS+	+++	-	20
7100208751	S2001SGAF-BGR, Clear Lens	2C-1.2 3M 1 FT K N	Grey/Blue-green	Clear	SGAF	++	+++	20
7100208820	S2001SGAF-BGR-F, Clear, Foam gasket	2C-1.2 3M 1 FT K N	Grey/Blue-green	Clear	SGAF	++	+++	20
7100208817	S2001SGAF-RED, Clear Lens	2C-1.2 3M 1 FT K N	Grey/Red	Clear	SGAF	++	+++	20
7100208793	S2002SGAF-BGR, Dark Grey Lens	5-3.1 3M 1 FT K N	Grey/Blue-green	Dark grey	SGAF	++	+++	20
7100209600	S2002SGAF-RED, Dark Grey Lens	5-3.1 3M 1 FT K N	Grey/Red	Dark grey	SGAF	++	+++	20
7100208818	S2003SGAF-BGR, Amber Lens	2C-1.2 3M 1 FT K N	Grey/Blue-green	Amber	SGAF	++	+++	20
7100208819	S2005SGAF-BGR, Mid Brown Lens	5-2.5 3M 1 FT K N	Grey/Blue-green	Mid brown	SGAF	++	+++	20
7100208815	S2007SGAF-BGR, I/O Grey Lens	5-1.7 3M 1 FT K N	Grey/Blue-green	I/O light grey	SGAF	++	+++	20
7100208826	S2024AS-RED, Dark Red Mirror Lens	5-3.1 3M 1 FT	Grey/Red	Dark red mirror	AS	+	-	20
7100218306	S2015AF-BLU, Clear +1.5 Lens	2C-1.2 3M 1 FT	Blue/Grey	Clear +1.5	AS/AF	+	+	20
7100218163	S2020AF-BLU, Clear +2.0 Lens	2C-1.2 3M 1 FT	Blue/Grey	Clear +2.0	AS/AF	+	+	20
7100218151	S2025AF-BLU, Clear +2.5 Lens	2C-1.2 3M 1 FT	Blue/Grey	Clear +2.5	AS/AF	+	+	20
7100218150	S2017ASP-BLK, IR 1.7 Grey Lens	1.7 3M 1 FT K	Black/Green	IR 1.7 Grey	AS+	+++	-	20
7100218153	S2030ASP-BLK, IR 3.0 Grey Lens	3 3M 1 FT K	Black/Green	IR 3.0 Grey	AS+	+++	-	20
7100220423	S2050ASP-BLK, IR 5.0 Grey Lens	5 3M 1 FT K	Black/Green	IR 5.0 Grey	AS+	+++	-	20
Accessories								
7100244145	S2000-FOAM, Foam Gasket for Solus 2000	n/a	n/a	n/a	n/a	n/a	n/a	100

3M™ Solus™ CCS Series



- ▶ Low/mid tier 3M™ Solus™ range
- ▶ Low profile design in modern temple colours
- ▶ Cord Control System (CCS) keeping the eyewear and corded earplugs attached and ready to use
- ▶ Foam gasket available to help limit eye exposure to debris
- ▶ Different coating solutions available
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100216507	SCCS01SGAF-GRN, Clear Lens	2C-1.2 3M 1 FT K N	Lime Green	Clear	SGAF	++	+++	20
7100216261	SCCS01SGAF-GRN-F, Clear Lens, Foam Gasket	2C-1.2 3M 1 FT K N	Lime Green	Clear	SGAF	++	+++	20
7100216621	SCCS02SGAF-GRN, Dark Grey Lens	5-3.1 3M 1 FT K N	Lime Green	Dark grey	SGAF	++	+++	20
7100216595	SCCS07SGAF-GRN, I/O Light Grey Lens	5-1.7 3M 1 FT K N	Lime Green	I/O light grey	SGAF	++	+++	20
7000043086	71511-00000, Clear Lens	2C-1.2 3M 1 FT	Blue	Clear	AS/AF	+	+	20
Accessories								
7100032645	71511-99999, Foam Gasket for Solus™ CCS	n/a	n/a	n/a	n/a	n/a	n/a	100

3M™ Virtua™ Range

- ▶ Economical designs for workers who require intermittent eye protection and frequently remove their spectacles throughout the work day



3M™ Virtua™ Series



- ▶ Economical basic range
- ▶ Slim wrap around unisex design very popular all over the world
- ▶ Easy to clean
- ▶ Different coating solutions available
- ▶ Economical bulk package (5-pack) available

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7000061918	71500-00001, Clear Lens	2C-1.2 3M 1 FT	Clear	Clear	AS	++	-	20
7000061919	71500-00002, Mid Grey Lens	5-2.5 3M 1 FT	Grey	Mid grey	AS	++	-	20
7000061920	71500-00003, Amber Lens	2C-1.2 3M 1 FT	Amber	Amber	AS	++	-	20
7000061921	71500-00004, Mid Blue Mirror Lens	5-2.5 3M 1 FT	Grey	Mid blue mirror	AS	+	-	20
7000061922	71500-00008, Clear Lens, Small Head (H)	2C-1.2 3M 1 FT / 3M FT H	Clear	Clear	AS / AF	+	+	20
7100244069	715001AF, Clear Lens	2C-1.2 3M 1 FT	Clear	Clear	AS / AF	+	+	20
7100244065	715001AF, Clear Lens, 5/Pk	2C-1.2 3M 1 FT	Clear	Clear	AS / AF	+	+	100
7100244050	715002AF, Mid Grey Lens	5-2.5 3M 1 FT	Grey	Mid grey	AS / AF	+	+	20
7100243988	715003AF, Amber Lens	2C-1.2 3M 1 FT	Amber	Amber	AS / AF	+	+	20

3M™ Virtua™ AP Series



- ▶ Economical basic range
- ▶ Robust sturdy design
- ▶ Easy to clean

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100006209	71512-00000, Clear Lens	2C-1.2 3M 1 FT	Clear	 Clear	AS	++	-	20
7100010682	71512-00001, Mid Grey Lens	5-2.5 3M 1 FT	Grey	 Mid grey	AS	++	-	20

3M™ OTG Range

- ▶ Over-The-Glass spectacles designed to wear over private prescription glasses or for general purpose visitor specs
- ▶ Ideal for temporary workers or as a back up for safety prescription eyewear should the worker need eye protection when their safety prescription glasses are unavailable



3M™ SecureFit™ 3700 Series



- ▶ Top tier Over The Glass (OTG) range
- ▶ 3M™ Pressure Diffusion Temple Technology for a comfortable and secure fit during the whole day
- ▶ Designed to offer all-day wearability for workers wearing prescription glasses
- ▶ Different modern colours available
- ▶ Adjustable ratchet temples to adjust the lens for facial features and eyeglass position
- ▶ Compatible with earmuffs
- ▶ Soft nose bridge to improve comfort and fit
- ▶ Soft brow guard options available, creating more space when needed for some prescription glasses
- ▶ Includes a range of grey IR filters popular for gas welding and metal cutting
- ▶ Additional UV400 protection available on all non-clear lenses

3M SAP ID	Product ID, short description	Specifications lens/frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7100209340	SF3701ASP-BLU, Clear Lens	2C-1.2 3M 1 FT K	Blue	Clear	AS+	+++	-	20
7100209252	SF3701SGAF-BLU, Clear Lens	2C-1.2 3M 1 FT K N	Blue	Clear	SGAF	++	+++	20
7100209413	SF3701SGAF-GRN, Clear Lens	2C-1.2 3M 1 FT K N	Green	Clear	SGAF	++	+++	20
7100209425	SF3701XSGAF-BLU, Clear Lens	2C-1.2 3M 1 FT K N	Blue	Clear	SGAF	++	+++	20
7100209384	SF3702SGAF-BLU, Dark Grey Lens	5-3.1 3M 1 FT KN	Blue	Dark grey	SGAF	++	+++	20
7100209416	SF3702XSGAF-BLU, Dark Grey Lens	5-3.1 3M 1 FT KN	Blue	Dark grey	SGAF	++	+++	20
7100209426	SF3703SGAF-GRN, Amber Lens	2C-1.2 3M 1 FT KN	Green	Amber	SGAF	++	+++	20
7100209427	SF3707SGAF-BLU, I/O Light Grey Lens	5-1.7 3M 1 FT KN	Blue	I/O light grey	SGAF	++	+++	20
7100209428	SF3707XSGAF-BLU, I/O Light Grey Lens	5-1.7 3M 1 FT KN	Blue	I/O light grey	SGAF	++	+++	20
7100217946	SF3717ASP-BLK, IR 1.7 Grey Lens	1.7 3M 1 FT K	Black	IR 1.7 Grey	AS+	+++	-	20
7100218079	SF3750ASP-BLK, IR 5.0 Grey Lens	5 3M 1 FT K	Black	IR 5.0 Grey	AS+	+++	-	20

3M™ 2800 Series



- ▶ Mid tier Over The Glass (OTG) range
- ▶ Fits over most prescription glasses
- ▶ Adjustable ratchet temples to adjust the lens for facial features and eyeglass position
- ▶ Length adjustable temples to customise fit
- ▶ Anti-scratch coating for more durability
- ▶ Includes an IR 5 filter popular for gas welding and metal cutting

3M SAP ID	Product ID, short description	Specifications lens/frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7000032493	2800, Clear Lens	2C-1.2 3M 1 FT	Blue	Clear	AS	++	-	20
7100050502	2801, Dark Grey Lens	5-3.1 3M 1 FT	Blue	Dark grey	AS	++	-	20
7000032494	2802, Amber Lens	2-1.2 3M 1 FT	Blue	Amber	AS	++	-	20
7000061936	2805, Welding Shade 5.0 Lens	4-5 3M 1 FT	Blue	IR 5.0 Green	AS	++	-	20

3M™ Visitor Series



- ▶ Economical basic Over The Glass (OTG) range
- ▶ Fits over some very small prescription glasses
- ▶ Not coated
- ▶ Popular to use as a visitor spectacle for short use

3M SAP ID	Product ID, short description	Specifications lens/frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	MOQ
7000062913	71448-00001, Clear Lens	2C-1.2 3M 1 F	Clear	 Clear	None	-	-	20

3M™ Safety Goggles Range

- ▶ Protection against specific hazards such as:
dust, liquids, gas, molten metal, and/or protection
against higher impact levels



3M™ GoggleGear™ 6000 Series



- ▶ Top tier 3M™ GoggleGear™ range
- ▶ Premium spherical curved lens design for optimal horizontal and vertical field of vision
- ▶ Large profile goggle design, with enough space to fit over most prescription glasses and indirect airflow to help against fogging
- ▶ Different modern colours available
- ▶ GG6001NSGAF-BLU with neoprene headband can be sterilised up to 40x by autoclaving at 121°C
- ▶ Wide flexible nose area to fit well with half-mask respirators
- ▶ Includes a flip-up version with a grey IR 5 filter lens popular for gas welding and metal cutting
- ▶ Features a nicely designed, easy to adjust, comfortable wide textile headband

3M SAP ID	Product ID, short description	Specifications lens/ frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	Ventilation	Splash (3)	Large dust (4)	Fine dust (5)	Molten metal (9)	MOQ
7100216582	GG6001SGAF-BLK, Clear Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Black/Black	Clear PC	SGAF	++	+++	Indirect	✓	✓			10
7100216617	GG6001SGAF-GRN, Clear Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Black/Green	Clear PC	SGAF	++	+++	Indirect	✓	✓			10
7100216192	GG6001SGAF-RED, Clear Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Black/Red	Clear PC	SGAF	++	+++	Indirect	✓	✓			10
7100216191	GG6001NSGAF-BLU, Neoprene strap, Clear Lens	2C-1.2 3M 1 BT K N / 3M BT 3 4	Black/Blue	Clear PC	SGAF	++	+++	Indirect	✓	✓			10
7100244200	GG6001SGAF-IR5, Clear Lens, with Flip-Up Grey IR5 Cover Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT Flip-Up lens: 5 3M 1	Black/Black	Clear PC and Grey IR5	SGAF and IR>AS	++ ++	+++ -	Indirect	✓	✓			10
7100216514	GG6002SGAF-BLK, Dark Grey Lens	5-3.1 3M 1 BT K N / 3M 3 4 BT	Black/Black	Dark grey PC	SGAF	++	+++	Indirect	✓	✓			10
Accessories													
7100243987	GG6050AS-CLENS, Flip-Up Grey IR5 Cover lens	5 3M 1	n/a	IR 5.0 PC	AS	++	-	n/a	n/a	n/a	n/a	n/a	20

3M™ GoggleGear™ 500 Series



- ▶ Top tier 3M™ GoggleGear™ range
- ▶ Premium spherical curved lens design for optimal horizontal and vertical field of vision
- ▶ Small profile goggle design, lightweight and comfortable to wear for a longer period
- ▶ GG501NSGAF-BLU with neoprene headband can be sterilised up to 40x by autoclaving at 121°C
- ▶ Wide flexible nose area to fit well with half-mask respirators
- ▶ Includes an IR 5 green filter lens popular for gas welding and metal cutting
- ▶ Prescription insert available

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	Ventilation	Splash (3)	Large dust (4)	Fine dust (5)	Molten metal (9)	MOQ
7100185183	GG501NSGAF-BLU, Neoprene strap, Clear Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Blue	 Clear PC	SGAF	++	+++	Indirect	✓	✓			10
7100074368	GG501SGAF, Clear Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Red	 Clear PC	SGAF	++	+++	Indirect	✓	✓			10
7100185290	GG502SGAF, Dark Grey Lens	5-3.1 3M 1 BT K N / 3M 3 4 BT	Red	 Dark grey PC	SGAF	++	+++	Indirect	✓	✓			10

3M™ 2890 Series



- ▶ Mid tier goggle range
- ▶ Cylindrical curved lens design for optimal horizontal field of vision
- ▶ Large profile goggle design, with enough space to fit over most prescription glasses
- ▶ Wide flexible nose area to fit well with half-mask respirators
- ▶ Acetate lens options available for improved chemical resistance (more durable) and better comfort
- ▶ Indirect and sealed ventilation versions available
- ▶ Includes an IR 5 green filter lens popular for gas welding and metal cutting

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	Ventilation	Splash (3)	Large dust (4)	Fine dust (5)	Molten metal (9)	MOQ
7000032480	2890, Clear Polycarbonate Lens	2C-1.2 3M 1 BT K N / 3M 3 4 BT	Grey/light grey	Clear PC	AS/AF	++	++	Indirect	✓	✓			10
7000032481	2890A, Clear Acetate Lens	2C-1.2 3M 1 FT N / 3M 3 4 FT	Grey/light grey	Clear Acetate	AF		++	Indirect	✓	✓			10
7000061924	2890S, Clear Polycarbonate Lens	2C-1.2 3M 1 BT K N / 3M 3 4 5 BT	Grey/light grey	Clear PC	AS/AF	++	++	Sealed	✓	✓	✓		10
7000032483	2890SA, Clear Acetate Lens	2C-1.2 3M 1 FT N / 3M 3 4 5 FT	Grey/light grey	Clear Acetate	AF		++	Sealed	✓	✓	✓		10
7100146292	2891-SGAF, Clear Polycarbonate Lens	2C-1.2 3M 1 BT 9 K N / 3M 3 4 9 BT	Grey/dark grey	Clear PC	SGAF	++	+++	Indirect	✓	✓		✓	10
7100146291	2891S-SGAF, Clear Polycarbonate Lens	2C-1.2 3M 1 BT 9 K N / 3M 3 4 5 9 BT	Grey/dark grey	Clear PC	SGAF	++	+++	Sealed	✓	✓	✓	✓	10
7100010431	2895S, IR5 Green Polycarbonate Lens	5 3M 1 B K N / 3M 3 4 5 B	Grey/light grey	IR 5.0 PC	AS/AF	++	++	Sealed	✓	✓	✓		10

3M™ Fahrenheit™ Series



- ▶ Mid tier goggle range
- ▶ Cylindrical curved lens design for optimal horizontal field of vision
- ▶ Large profile goggle design, with enough space to fit over most prescription glasses
- ▶ Acetate lens options available for improved chemical resistance
- ▶ Indirect and sealed ventilation versions available

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	Ventilation	Splash (3)	Large dust (4)	Fine dust (5)	Molten metal (9)	MOQ
7000062781	71360-00011, Clear Polycarbonate Lens	2C-1.2 3M 1 BT / 3M 3 4 BT	Blue	Clear PC	AS/AF	+	+	Indirect	✓	✓			10
7000062782	71360-00012, Clear Polycarbonate Lens	2C-1.2 3M 1 BT / 3M 3 4 BT	Blue	Clear PC	AS	+	-	Indirect	✓	✓			10
7000062783	71360-00013, T-N-Wear, Neoprene Headband, Clear Acetate Lens	2C-1.2 3M 1 F 9 / 3M 3 4 9 F	Blue	Clear Acetate	AS/AF		++	Indirect	✓	✓		✓	10
7100010410	71360-00015, Sealed, Neoprene Headband, Clear Acetate Lens	2C-1.2 3M 1 F 9 / 3M 3 4 9 F	Blue	Clear Acetate	AS/AF		++	Sealed	✓	✓		✓	10
7000062786	71360-00017 Helmet Version, Clear Acetate Lens	2C-1.2 3M 1 F 9 / 3M 3 4 9 F	Blue	Clear Acetate	AS/AF		++	Sealed	✓	✓		✓	10
Accessories													
7000061926	71360-00006, T-N-Wear, Replacement Strips	n/a	n/a	n/a	none		n/a	n/a	n/a	n/a	n/a	n/a	10

3M™ 4700 and 4800 Series



- ▶ Basic economical goggle range
- ▶ Flat lenses only
- ▶ Not designed to wear over prescription glasses
- ▶ 4700 with direct ventilation for impact protection only (no splash protection)

3M SAP ID	Product ID, short description	Specifications lens /frame markings	Frame colour	Lens colour	Coating	Anti-scratch performance	Anti-fog performance	Ventilation	Splash (3)	Large dust (4)	Fine dust (5)	Molten metal (9)	MOQ
7000061933	71359-00000, 4700 Clear Polycarbonate Lens	3M 1 B / 3M B	Clear/Red	 Clear PC	None	-	-	Direct					200
7000062914	71347-00011, 4800 Clear Polycarbonate Lens	3M 1 B / 3M 3 B	Clear/Red	 Clear PC	None	-	-	Indirect	✓				200
7000062915	71347-00014, 4800 Clear Polycarbonate Lens	3M 1 B / 3M 3 B	Clear/Black	 Clear PC	AF	-	+	Indirect	✓				200

Accessories

3M™ Large Rigid Safety Spectacles Case



3M SAP ID	Product ID, short description	
7000061939	Rigid, Large, Belt Loop	12-0200-00

3M™ Spectacles Carrying Case



3M SAP ID	Product ID, short description	
7000061941	Semi Rigid, Belt Clip/Clasp	12-0500-00

3M™ Spectacles Carrying Case



3M SAP ID	Product ID, short description	
7000032497	Carrying Case, Zipper	12-0600-00

3M™ Microfibre Spectacles Pouch



3M SAP ID	Product ID, short description	
7000032498	Microfibre Pouch (spectacles)	26-6780-00

3M™ Microfibre Goggles Pouch



3M SAP ID	Product ID, short description	
7000061943	Large Microfibre Pouch (Goggles)	26-6800-00

3M™ Microfibre Lens Cleaning Cloth



3M SAP ID	Product ID, short description	
7000032500	Microfibre Lens Cleaning Cloth	26-6710-00

Accessories

3M™ Lens Cleaning Tissue Station



3M SAP ID	Product ID, short description	
7000062429	Disposable Lens Cleaning Tissue Station (language group A)	83735-00000A
7000062659	Disposable Lens Cleaning Tissue Station (language group B)	83735-00000B

3M™ Lens Cleaning Tissue Dispenser



3M SAP ID	Product ID, short description	
7100014390	Disposable Lens Cleaning Tissue Dispenser, 500 Sachets	26-2000-00

3M™ Lens Cleaning Solution



3M SAP ID	Product ID, short description	
7000062428	Lens Cleaning Solution, 120ml (language group A)	71329-00000A
7000062658	Lens Cleaning Solution, 120ml (language group B)	71329-00000B

Accessories

3M™ Spectacle Neck Cord with Safety Break



3M SAP ID	Product ID, short description	
7000095022	Neck Cord with Safety Break	272

3M™ Universal Spectacle Neck Cord



3M SAP ID	Product ID, short description	
7000061868	Neck Cord	90943

3M™ Nylon Spectacle Neck Cord



3M SAP ID	Product ID, short description	
7000032501	Nylon Elastic, Black, Adjustable	90931-00000

Further Information



Coating and lens categories

Practical coating performance table

Coating	European marking	Anti-scratch performance	Anti-fog performance
AS		++	-
AS+	K	+++	-
AS/AF		+	+
SGAF	KN	++	+++
AF			++
AF+	N		+++

Lens filter categories

Starting with: 2(C) -	Ultraviolet Filter
Starting with: 4 -	Infrared Filter
Starting with: 5 -	Filter for Sunglare
Only having one number (1.7 or 3.0 or 5.0)	UV and IR Filter (popular for gaswelding)

See the 3M™ Scotchgard™ video

Definitions



Adjustable ratchet temples

Adjusts the pantoscopic tilt of the lens to help accommodate cheek bone height and improve comfort and fit.



Anti-fog (N)

Coated lenses to reduce fogging and keep lenses clearer meeting the requirements of EN 166.



Autoclavable – eyewear

Has been tested to ensure that it continues to protect after having been sterilised by autoclaving at 121°C.




Brow guard

Additional top coverage during impact and leaves room to help airflow.



Cord Control System (CCS)

Designed to keep eyewear and earplugs attached, untangled and ready to use.




Droplets protection (3)

Tested to EN 166:2001 to provide protection against droplets and splashes.



Dual lens design

Eyewear designed with two separate left and right lenses.



Dust particles protection (4)

Tested to EN 166:2001 to provide protection against large dust particles.




Face mask compatible

Designed for better compatibility when worn with face masks.




Foam gasket

Helps limit eye exposure to debris but not as tight as a goggle.



Gas protection (5)

Tested to EN 166:2001 to provide protection against gas and fine dust particles.



Goggles

Designed to seal to the face. Can be splash/droplet, dust and or fine dust/gas rated.

Definitions



Hearing protection compatible

Designed for better compatibility with hearing protection to reduce loss of attenuation.



Impact protection (B)

Tested to EN 166:2001 to provide protection against impacts medium energy impacts (120m/s).



Impact protection (F)

Tested to EN 166:2001 to provide protection against impacts low energy impacts (45m/s).



Molten metal protection (9)

Goggles tested to EN 166:2001 to provide protection against molten metals and hot solids.



3M™ Pressure Diffusion Temple Technology

Eyewear temples self-adjust to a wider range of head sized, difusing pressure over the ear and enhancing comfort.




Reader lenses

Bifocal reader lenses to help read small print or view fine detail.




3M™ Scotchgard™ Protector Anti-Fog/Anti-Scratch Coating

Last longer than traditional anti-fog coatings and remains effective for up to 25 washings with water. Coating is tested to EN 168 N&K for anti-fog and anti-scratch.



Scratch resistant (K)

Coated lenses to reduce scratching and keep lenses clearer meeting the requirements of EN 166.



Temple length adjustment

Length adjustable temples to customise fit.



TPE gasket

Helps limit eye exposure to debris and allows conversion of a spectacle to a goggle to protect against liquid splash and dust.



UV protection

Lenses which absorb up to 99.9% of harmful UVA and UVB meeting the requirements of EN 166.



UV400 protection

Polycarbonate lenses labeled UV400 absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 400 nm

Important notice

Product selection and use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable national and/ or European regulations and standards. Failure to properly evaluate, select, and use a 3M product in accordance with all applicable instructions and with appropriate safety equipment, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, limited remedy, and disclaimer: A limitation of liability applies to the 3M product(s). For warranty statement and limitation of liability, refer to your supply agreement or the 3M terms and conditions of sale.

3M industrial and occupational products are intended, labeled, and packaged for sale to trained industrial and occupational customers for workplace use.

3M United Kingdom PLC
3M Centre
Cain Road
Bracknell
RG12 8HT
Tel: 0845 504 8772
www.3M.co.uk/safety

3M Ireland Limited
The Iveagh Building
Carrickmines Park
Carrickmines
Dublin 18
Tel: 1 800 320 500